

FILE NOTATIONS

Entered in NID File ✓

Entered On S R Sheet

Location Map Pinned ✓

Card Indexed ✓

IWR for State or Fee Land

Checked by Chief PLB

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed 9-19-66

OW ✓ WW TA

GW OS PA

Location Inspected

Band released

State of Fee Land

LOGS FILED

Driller's Log ✓

Electric Logs (No.) 5

E I E-I ✓ GR GR-N Micro ✓

Lat Mi-L Sonic Others

Cement Band Log (3)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Utah State ML-2237
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME ---
2. NAME OF OPERATOR Gulf Oil Corporation		7. UNIT AGREEMENT NAME Wonsits Valley
3. ADDRESS OF OPERATOR P. O. Box 1971, Casper, Wyoming		8. FARM OR LEASE NAME Wonsits Valley Fed. Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At 1980' NSL, 1980' EWL (NE SW) At proposed prod. zone		9. WELL NO. 78
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*		10. FIELD AND POOL, OR WILDCAT Wonsits-Wonsits Valley
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 660' South	16. NO. OF ACRES IN LEASE 600	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 16-82-21E SLDEM
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1320' South 1333' East	19. PROPOSED DEPTH 5400	12. COUNTY OR PARISH Uintah
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4739 Ungraded ground		13. STATE Utah
22. APPROX. DATE WORK WILL START* 8-10-66		
23. PROPOSED CASING AND CEMENTING PROGRAM		
SIZE OF HOLE 12-1/4 7-7/8	SIZE OF CASING 8-5/8 5-1/2	WEIGHT PER FOOT 24 14
SETTING DEPTH 300 5400		QUANTITY OF CEMENT 240 sacks 280 sacks

We propose to drill 50' below base of 6.

Confirming verbal permission 8-4-66, George Brown to J. D. Mackay.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

Original Signed By
24. **LESTER LeFAVOUR** **AREA PRODUCTION MANAGER** **8-3-66**
SIGNED **Lester LeFavour** TITLE **AREA PRODUCTION MANAGER** DATE **8-3-66**
(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____


APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

cc: **Utah Oil & Gas Conservation Commission (2)**
C. T. Gilbert

*See Instructions On Reverse Side

T 8 S, R 21 E, SLB&M


COTTONWOOD POST



X - Corners Located (Brass Cap)
O - Corners Re-established

Scale: 1 = 1000'

BY: ROSS CONSTRUCTION COMPANY
VERNAL, UTAH



<p>PARTY R. D. Ross L. E. Heeney</p> <p>WEATHER Clear--Hot</p>	<p>SURVEY GULF OIL CORPORATION WONSITS VALLEY FEDERAL UNIT WELL NO. 78 LOCATED AS SHOWN IN NE 1/4, SW 1/4, SECTION 16 T8S, R21E, SLB&M, UTAH COUNTY, UTAH</p>	<p>DATE 7/30/66</p> <p>REFERENCES DEGLD Township Plat</p> <p>FILE GULF</p>
---	---	--

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	DRY <input type="checkbox"/>	Other _____		
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input type="checkbox"/>	Other _____
2. NAME OF OPERATOR Gulf Oil Corporation						5. LEASE DESIGNATION AND SERIAL NO. Utah State ML-2237	
3. ADDRESS OF OPERATOR P. O. Box 1971, Casper, Wyoming						6. IF INDIAN, ALLOTTEE OR TRIBE NAME ---	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1980' NSL, 1980' EWL (NE SW) At top prod. interval reported below At total depth						7. UNIT AGREEMENT NAME Wonsits Valley	
14. PERMIT NO. _____ DATE ISSUED _____						8. FARM OR LEASE NAME Wonsits Valley Fed. Unit	
15. DATE SPUNDED 8-7-66						9. WELL NO. 78	
16. DATE T.D. REACHED 8-19-66						10. FIELD AND POOL, OR WILDCAT Wonsits-Wonsits Valley	
17. DATE COMPL. (Ready to prod.) 9-19-66						11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA 16-8S-21E SLB&M	
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4739 GR						12. COUNTY OR PARISH Utah	
19. ELEV. CASINGHEAD						13. STATE Utah	
20. TOTAL DEPTH, MD & TVD 5350		21. PLUG, BACK T.D., MD & TVD 5326		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY →	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Basal Green River G-1 5272'-5283'		25. WAS DIRECTIONAL SURVEY MADE No		26. TYPE ELECTRIC AND OTHER LOGS RUN Induction-Electrical, Microlog with Calliper, Cement Bond Log, Casing Collar Log & Perforating Record		27. WAS WELL CORED No	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		AMOUNT PULLED	
8-5/8"	24	294	12-1/4"	200 sacks			
5-1/2"	14	5350	7-7/8"	225 sacks			
29. LINER RECORD							
SIZE	TOP (MD)	POTOM (MD)	SACKS CEMENT*	SCREEN (MD)	30. TUBING RECORD		
					SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	5298	
31. PERFORATION RECORD (Interval, size and number) G-1 5272'-5284' 4 jets per foot				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
				DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
				G-1 5272'-5284'		250 gal 7 1/2% MCA. Fracture treated with 599 bbls. gelled salt water and 5355# sand and 6321# beads.	
33.* PRODUCTION							
DATE FIRST PRODUCTION 8-26-66		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping 19 X 48" SPM, 1-3/4" bore pump				WELL STATUS (Producing or shut-in) Producing	
DATE OF TEST 9-18-66	HOURS TESTED 24	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL. 117	GAS—MCF. 38.6	WATER—BBL. 2	GAS-OIL RATIO 330:1
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL. 117	GAS—MCF. 38.6	WATER—BBL. 2	OIL GRAVITY-API (CORR.) 28.5°	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Fuel & Sold						TEST WITNESSED BY T. A. Phillips	
35. LIST OF ATTACHMENTS Two copies each of items listed in item #26 above.							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
ORIGINAL SIGNED BY J. D. Mackay				TITLE Area Engineer		DATE 9-23-66	
SIGNED J. D. Mackay							

*(See Instructions and Spaces for Additional Data on Reverse Side)

cc: Utah Oil & Gas Conservation Commission (2)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
No Water Sands Tested.			

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Green River	2248	
Basal Green River	4345	
E-1	4969	
E-5	5221	
F-2	5184	
G-1	5278	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRII
(Other instructions on
reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Utah State ML-2237

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsits Valley

8. FARM OR LEASE NAME

Wonsits Valley Fed Unit

9. WELL NO.

78

10. FIELD AND POOL, OR WILDCAT

Wonsits-Wonsits Valley

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

16-8S-21E SLB&M

12. COUNTY OR PARISH

Uintah

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Gulf Oil Company - U.S.

3. ADDRESS OF OPERATOR

P. O. Box 2619; Casper, WY 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

1980' NSL & 1980' EWL (NE SW)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4,751' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

Convert to water input

☒

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5,350' TD. 5,326' PBTD.

Perforations: G-1 Lime 5,272'-5,284' w/ 4 JHPF.

Current Status: Was TA March, 1975, after producing cumulatives of 105,946 BO,
70,812 BW, and 33,617 MCF Gas.

It is proposed to convert this temporarily abandoned oil well to water input by: 1 - pulling rods, pump and tubing; 2 - run pkr on 2-7/8" OD tbg and set pkr at approximately 5,250'; 3 - acidize down tbg w/ 500 gals 15% HCL; 4 - flush w/ 31 BW; 5 - fill annulus w/ hydrazine treated wtr and an oil blanket; 6 - inject 500 BWPD down tbg.

APPROVED BY DIVISION OF
OIL & GAS CONSERVATION

DATE

BY

18. I hereby certify that the foregoing is true and correct

SIGNED

J. G. Garner

TITLE

Senior Engineer

DATE

8/27/75

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

cc: Utah Oil & Gas Commission (2)

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Utah State ML-2237

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsits Valley

8. FARM OR LEASE NAME

Wonsits Valley Fed Unit

9. WELL NO.

78

10. FIELD AND POOL, OR WILDCAT

Wonsits-Wonsits Valley

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

16-8S-21E SLB&M

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Gulf Oil Corporation

3. ADDRESS OF OPERATOR

P. O. Box 2619, Casper, Wyoming 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.)
At surface

1980' NSL & 1980' EWL (NE SW)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4751' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Converted to Water Input

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Converted temporarily abandoned oil well no. 78 to water injection well per attached:

18. I hereby certify that the foregoing is true and correct

SIGNED

H. S. Sealy

TITLE Area Engineer

DATE November 25, 1975

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

cc: Utah Oil & Gas Commission (2)

*See Instructions on Reverse Side

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . .
In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN

DATE

YEAR

1975

A. F. E.

82823 LEASE AND WELL

Wonsits Valley Unit/St-Fed #78

Wonsits Valley Unit/State Federal #78

16-8S-21E, Uintah Co., Utah

1.0000

10/7/75 CONVERT TA OIL WELL NO. 78 TO WATER INJECTION WELL. Gulf AFE 82823. 5,326' PBSD. Pulling rods and tbg. MI & RU PU, Cannon Well Service, Contractor. Pulled and LD 1" & 7/8" rods in singles (rods parted @ top of 3/4" rod section). Tagged btm w/ tbg and pulled tbg to top of 3/4" rods. On 10/8, trying to free stuck anchor-catcher. Fin pulling and LD rods in singles. Started pulling rest of tbg. Anchor-catcher hung up(stuck) 50' from surface. Unable to free anchor-catcher. On 10/9, working tbg, trying to pull anchor-catcher. Unable to work same free. RU 3 1/2" DC and bumper sub. Was unable to knock anchor-catcher loose. LD 3 1/2" DC and bumper sub. RU 5 1/2" DC and bumper sub. Knocked anchor-catcher loose but could not pull. On 10/10, working tbg, trying to pull anchor-catcher. Would hang whenever it was pulled upward. Would occasionally stick and had to be knocked loose w/ DC and bumper sub. Anchor-catcher lowered 40' (at 90') further down the hole. On 10/11, prep to run csg scraper. Worked tbg, trying to pull anchor-catcher. Lowered anchor-catcher 52' further down the hole. Anchor-catcher continued to stick on occasion, having to be knocked loose. Started to run tbg to set anchor-catcher at btm of hole. Checked anchor-catcher every five stands to see if it could be pulled. With 25 stds tbg in hole, pulled anchor-catcher free & pulled tbg. Anchor-catcher was torn up. Top of cavings in hole @ 5,322'. On 10/12, ran Baker csg scraper on tbg to 5,296'. Pulled tbg and scraper. Ran Baker Lok-Set pkr on 2 7/8" OD tbg. Displ produced wtr from ann w/ 87 BFW containing 5 gals Hydrazin. Set pkr @ 5,261'. (Btm of pkr @ 5,263'). Closed well in. TD & MO PU. On 11/6, prep to connect well to wtr injection system. ONSIP 1875#. Acidized down tbg by Halliburton w/ 500 gals inhibited HCl acid containing 4 gals/1000 gals 3N NE agent as follows: pumped 5 bbls fresh wtr, acidized w/ 500 gals acid. Flushed w/ 31 BW. Initial treating press 3000#, max treating press 3000#, final press 2600#. ISIP 2200#, 5 min SIP 2100#, 10 min SIP 2050#, 15 min SIP 2000#. AIR=3 1/2 B/M. Had 250# press drop w/ acid going into formation. Sl to connect well to inj system. On 11/7, connecting well to inj sys. On 11/8, injecting wtr, no gauge. Fin connecting well to inj sys. Started inj wtr on 11/7. On 11/14, injected 271 BW, in 24 hrs @ 1950 psi. DROP.

FORM NO. DOGM-UIC-1
(Revised 1982)

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE I-5 & RULE I-4)

IN THE MATTER OF THE APPLICATION OF

Gulf Oil Corporation
ADDRESS P. O. Box 2619
Casper, Wyoming ZIP 82602
INDIVIDUAL PARTNERSHIP CORPORATION ☒
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE WVU S/F #78 WELL
SEC. 16 TWP. 8S RANGE 21E
Uintah COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL	<input checked="" type="checkbox"/>
DISPOSAL WELL	<input type="checkbox"/>
LP GAS STORAGE	<input type="checkbox"/>
EXISTING WELL (RULE I-4)	<input checked="" type="checkbox"/>

APPLICATION

Comes now the applicant and shows the Corporation Commission the following:

1. That Rule I-5 (g) (iv) authorizes administrative approval of enhanced recovery injections, disposal or LP Gas storage operations.
2. That the applicant submits the following information.

Lease Name Wonsits Valley Unit State/Federal	Well No. 78	Field Wonsits Valley	County Uintah
Location of Enhanced Recovery Injection or Disposal Well NE SW Sec. 16 Twp. 8S Rge. 21E			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 06/28/83	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile None	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What Oil
Location of WVU Produced Water and Fresh Injection Source(s) Water from Sec. 6-T7S-R21E		Geologic Name(s) Green River Wells 5000'-5700' and Depth of Source(s) Uinta Wells 70'-90'	
Geologic Name of Injection Zone Green River		Depth of Injection Interval 5272 to 5284	
a. Top of the Perforated Interval: 5270	b. Base of Fresh Water: 1570	c. Intervening Thickness (a minus b) 3700	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
Lithology of Intervening Zones			
Injection Rates and Pressures Maximum 500 B/D 2500 PSI			
The Names and Addresses of Those to Whom Notice of Application Should be Sent. BLM BIA			

State of Wyoming)

County of Natrona)

Applicant

Before me, the undersigned authority, on this day personally appeared D. F. McHugo, Production Engineer known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 23rd day of September 83

SEAL

My commission expires 03/16/86

Notary Public in and for Natrona County, Wyoming

(OVER)

My Commission Expires March 16, 1986

INSTRUCTIONS

1. Attach qualitative and quantitative analysis of representative sample of water to be injected and a qualitative and quantitative analysis of the injection formation of water.
2. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within one-half mile, together and with the name of the operator(s).
3. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division or appropriate government agencies.)
4. Attach Electric or Radioactivity Log of Subject well (if released).
5. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
6. If the application is for a NEW well the original and six (6) copies of the application and three (3) complete sets of attachments shall be mailed to the Division. For EXISTING well applications (Rule I-4) only ONE copy of the application and ONE complete set of attachments are required to be mailed to the Division.
7. The Division is required to send notice of application to the surface owner of the land within one-half mile of the injection well and to each operator of a producing leasehold within one-half mile of the injection well. List all required names and addresses in the appropriate space provided on the front of this form.
8. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county of publication before the application is approved. The notice shall include the name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application may be approved administratively.
9. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed by January 31st each year.
10. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
11. If there is less intervening thickness required by Rule I-5 (b) 4, attach sworn evidence and data.
12. For enhanced recovery projects, information required by Rule I-4 which is common to more than one well, need be reported only once on the application.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	8 5/8"	294	200		
Intermediate					
Production	5 1/2"	5350	225	4550	Cement Bond Log
Tubing	2 7/8"	5163	Name - Type - Depth of Tubing Packer		
Total Depth 5350	Geologic Name - Inj. Zone Green River	Depth - Top of Inj. Interval 5272	Depth - Base of Inj. Interval 5284		

Wonsits Valley Unit 5L/Fed # 78

Well Diagram

Well Elevation: 475' KB 4759' GL.

8" OD surface pipe
set @ 79' w/ 200SX

Top of cement @ 1155' by cement bond log

2 7/8" 6.5# Tubing internally coated w/ TK-69

Baker lot set packer @ 5163

S-1 Perf 5272'-84' w/ 4 JHPF

5 1/2" OD 14# casing
set @ 5350' w/ 200SX

TDC 5350'

CHEMICAL & GEOLOGICAL LABORATORIES

P. O. Box 2794
Casper, Wyoming

WATER ANALYSIS REPORT

OPERATOR Gulf Oil Expl. & Prod.DATE 9-23-81LAB NO. 38679-4

WELL NO. _____

LOCATION _____

FIELD Wonsits Valley

FORMATION _____

COUNTY Uintah

INTERVAL _____

STATE UtahSAMPLE FROM Water injection system-in suction line between charging & injection pumps

REMARKS & CONCLUSIONS:

Scaling tendencies of this water appear to be low.



Cations	mg/l	meq/l
Sodium	7206	313.45
Potassium	29	0.74
Lithium	-	-
Calcium	122	6.09
Magnesium	36	2.96
Iron	-	-
Total Cations		323.24

Anions	mg/l	meq/l
Sulfate	254	5.38
Chloride	10800	304.56
Carbonate	0	0.00
Bicarbonate	817	13.40
Hydroxide	-	-
Hydrogen sulfide	-	-
Total Anions		323.24

Total dissolved solids, mg/l	18849
NaCl equivalent, mg/l	18623
Observed pH	7.9

Specific resistance @ 68°F.:	
Observed	0.36 ohm-meters
Calculated	0.36 ohm-meters

WATER ANALYSIS PATTERN

Sample above described
Scale
MEQ per Unit

(Na value in above graphs includes Na, K, and Li)

NOTE: Mg/l = Milligrams per Liter Meq/l = Milligram equivalents per liter
Scale is obtained by multiplying Dunlop & Hawthorne calculation from components

CHEMICAL & GEOLOGICAL LABORATORIES

P. O. Box 2794
Casper, Wyoming

WATER ANALYSIS REPORT

OPERATOR Gulf Oil Expl. & Prod. DATE 7-17-81 LAB NO. 37986
 WELL NO. Wonsitz Valley Unit LOCATION _____
 FIELD Wonsitz Valley FORMATION _____
 COUNTY Uintah INTERVAL _____
 STATE Utah SAMPLE FROM #2 River well (Injection water)
(4-23-81)

REMARKS & CONCLUSIONS:


Cations			Anions		
	mg/l	meq/l		mg/l	meq/l
Sodium	48	2.08	Sulfate	155	3.22
Potassium	2	0.05	Chloride	18	0.51
Lithium	-	-	Carbonate	0	0.00
Calcium	56	2.79	Bicarbonate	188	3.08
Magnesium	23	1.89	Hydroxide	-	-
Iron	-	-	Hydrogen sulfide	-	-
Total Cations	-	6.81	Total Anions	-	6.81

Total dissolved solids, mg/l 394
 NaCl equivalent, mg/l 329
 Observed pH 7.9

Specific resistance @ 68°F.:
 Observed 16.0 ohm-meters
 Calculated 17.8 ohm-meters

WATER ANALYSIS PATTERN

Sample above described Scale
 MEQ per Unit



(Na value in above graphs includes Na, K, and Li)

NOTE: Mg/l = Milligrams per liter Meq/l = Milligram equivalents per liter
 Sodium chloride equivalent = by Dunlap & Hawthorne calculation from components

LITE RESEARCH LABORATORIES

LITE RESEARCH LABORATORIES

P.O. Box 119

Fort Duchesne, Utah 84026

(801) 722-2254

LABORATORY NUMBER W-3156
 SAMPLE TAKEN 5/18/76
 SAMPLE RECEIVED 5/18/76
 RESULTS REPORTED _____

SAMPLE DESCRIPTION _____ FIELD NO. _____
 COMPANY Gulf Oil Company LEASE _____ WELL NO. _____
 FIELD Wonsits Fed U. COUNTY Uintah STATE Utah
 SAMPLE TAKEN FROM Wonsits Federal Unit
 PRODUCING FORMATION _____ TOP _____
 REMARKS _____

Tank Batt. #2 - *Treater sample*
 SAMPLE TAKEN BY _____

CHEMICAL AND PHYSICAL PROPERTIES

SPECIFIC GRAVITY @60/60° F. 1.0201 pH 8.35 RES. .18 OHM METERS @ 77° F


TOTAL HARDNESS 478.5 mg/L as CaCO₃ TOTAL ALKALINITY 1030.0 mg/L as CaCO₃

CONSTITUENT	MILLIGRAMS PER LITER mg/L.	MILLEQUIVALENTS PER LITER MEQ/L		REMARKS
CALCIUM - Ca ++	111.0	5.55		
MAGNESIUM - Mg ++	48.8	4.0		
SODIUM - Na +	14500.0	630.43		
BARIUM (INCL. STRONTIUM) - Ba ++	0	0		
TOTAL IRON - Fe ++ AND Fe +++	0.22	0.01	640.0	
BICARBONATE - HCO ₃ ⁻	484.0	7.94		
CARBONATE - CO ₃ ⁻⁻	236.0	7.87		
SULFATE - SO ₄ ⁻⁻	2980.0	62.08		
CHLORIDE - CL ⁻	19992.	563.15	641.04	
TOTAL DISSOLVED SOLIDS	38,120.			

MILLEQUIVALENTS PER LITER

LOGARITHMIC

STANDARD



ANALYST _____

CHECKED _____

LITE RESEARCH LABORATORIES

P.O. Box 119

Fort Duchesne, Utah 84026

(801) 722-2254

LABORATORY NUMBER W-3154
 SAMPLE TAKEN 5/18/76
 SAMPLE RECEIVED 5/18/76
 RESULTS REPORTED _____

FIELD NO. _____ WELL NO. _____
 SAMPLE DESCRIPTION _____
 COMPANY Gulf Oil Company LEASE _____
 FIELD W.V. Fed Unit COUNTY Uintah STATE Utah
 SAMPLE TAKEN FROM Wonsits Valley Fed.
 PRODUCING FORMATION _____ TOP _____
 REMARKS _____

Tank Batt. #4 - FILKO Sample
 SAMPLE TAKEN BY _____

CHEMICAL AND PHYSICAL PROPERTIES

SPECIFIC GRAVITY @60/60° F. 1.0206 pH 8.34 RES. .23 OHM METERS @ 77°F


TOTAL HARDNESS 415.62 mg/L as CaCO₃ TOTAL ALKALINITY 570.0 mg/L as CaCO₃

CONSTITUENT	MILLIGRAMS PER LITER mg/L	MILLEQUIVALENTS PER LITER MEQ/L		REMARKS
CALCIUM - Ca ++	101.0	5.05		
MAGNESIUM - Mg ++	39.8	3.26		
SODIUM - Na +	13000.0	565.22		
	0	0		
BARIUM (INCL. STRONTIUM) - Ba ++	0.12	0	573.53	
TOTAL IRON - Fe ++ AND Fe +++	342.7	5.62		
BICARBONATE - HCO ₃ ⁻	8.0	0.27		
CARBONATE - CO ₃ ⁻	91.0	1.90		
SULFATE - SO ₄ ⁻	19430.0	547.32	555.11	
CHLORIDE - CL ⁻	29,560.			
TOTAL DISSOLVED SOLIDS				

MILLEQUIVALENTS PER LITER

LOGARITHMIC

STANDARD



ANALYST _____

CHECKED _____

LITE RESEARCH LABORATORIES

P.O. Box 119

Fort Duchesne, Utah 84026

(801) 722-1221

LABORATORY NUMBER W-3157
 SAMPLE TAKEN 5/18/76
 SAMPLE RECEIVED 5/18/76
 RESULTS REPORTED _____

SAMPLE DESCRIPTION _____ FIELD NO. _____
 COMPANY Gulf Oil Company LEASE _____ WELL NO. _____
 FIELD W.V. Fed Unit COUNTY Uintah STATE Utah
 SAMPLE TAKEN FROM Wonsits Valley Fed.
 PRODUCING FORMATION _____ TOP _____
 REMARKS Treater Sample
Tank Batt. #5 SAMPLE TAKEN BY _____

CHEMICAL AND PHYSICAL PROPERTIES

SPECIFIC GRAVITY @60/60° F. 1.0284 pH 8.88 RES. .22 OHM METERS @ 77°F


TOTAL HARDNESS 511.6 mg/L as CaCO₃ TOTAL ALKALINITY 528.0 mg/L as CaCO₃

CONSTITUENT	MILLIGRAMS PER LITER mg/L	MILLEQUIVALENTS PER LITER MEQ/L		REMARKS
CALCIUM - Ca ++	126.0	6.30		
MAGNESIUM - Mg ++	47.8	3.92		
SODIUM - Na +	11800.0	513.04		
BARIUM (INCL. STRONTIUM) - Ba ++	0	0		
TOTAL IRON - Fe ++ AND Fe +++	0.15	0.01	523.27	
BICARBONATE - HCO ₃ --	307.50	5.04		
CARBONATE - CO ₃ --	24	0.8		
SULFATE - SO ₄ --	698.0	14.54		
CHLORIDE - CL -	17852.6	502.89	523.27	
TOTAL DISSOLVED SOLIDS	29,280.			

MILLEQUIVALENTS PER LITER

LOGARITHMIC

STANDARD



ANALYST _____

CHECKED _____

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APR 25 1985

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)
DIVISION OF OIL AND GAS
GAS & MINING

1. ☒ oil well ☐ gas well ☐ other

2. NAME OF OPERATOR

GULF OIL CORPORATION ATTN R.W.HUWALD

3. ADDRESS OF OPERATOR

P O BOX 2619, CASPER, WY 82602 2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE:

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) Blanket Sundry

5. LEASE

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsit Valley

8. FARM OR LEASE NAME

Wonsits Valley Unit St/Fed

9. WELL NO.

#78

10. FIELD OR WILDCAT NAME

Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

12. COUNTY OR PARISH: 13. STATE

Uintah

Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDS, AND WD).

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Per conversation between K. S. Aslesen & J. Sparger, on March 27, 1985, Temporary lined work pits will be used for all future casing repair work.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

J.R. Bucek

TITLE AREA ENGINEER

DATE

APR 19 1985

J.R. BOCEK (This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

Page 5 of 5
Form approved
Budget Bureau No. 42-R356.3.
LAND OFFICE Salt Lake City
LEASE NUMBER U-022158
UNIT Monsits Valley

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Monsits-Monsits Valley

The following is a correct report of operations and production (including drilling and producing wells) for the month of November, 1975

Agent's address P.O. Box 2619 Company Gulf Oil Corporation
Casper, Wyoming 82601 Signed _____

Phone 307-235-1311 Agent's title Senior Clerk

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (in thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (if none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
WATER INJECTION DATA										
			WELL NO.		BELS. INJ.		AVG. PRESS.			
			1							
			2		32,483		415			S.I.
			3		44,463		1,745			
			5		68,230		Plugged			S.I.
			20		32,769		1,800			
			21		18,430		1,900			S.I.
			22		32,742		1,340			
			23		22,864		Plugged			S.I.
			25							
			26		43,181		1,140			S.I.
			27		128,202		1,490			
			28		87,955		1,555			S.I.
			30		52,868		1,615			
			32		3,651		1,900			S.I.
			33							
			37		38,131		1,230			S.I.
			39							
			40							S.I.
			49		7,801		915			
			56							S.I.
			57							
			63		17,959		1,885			S.I.
			69		13,724		1,265			
			70		46,235		1,315			S.I.
			71		4,315		1,605			
			72		9,220		1,915			S.I.
			76		51,685		1,720			
			78		2,612		1,805			S.I.
			79		15,622		565			
			82		47,821		Vac.			

58-21-5
Monsits Valley #41 Repair casing leak
w/150 sx cmt squeeze. Acidize w/3,000
gal 15% HCL w/additives and place on
production

Monsits Valley #78 converted to water
injection - first injection 12/7/75

DISTRIBUTION:

- 1 - Houston
- 2 - USGS, SLC
- 2 - Utah Oil & Gas Cons. Comm., SLC
- 1 - DeGolyer and MacNaughton
- 1 - OC
- 2 - File
- 1 - JCG

NOTE.—There were _____ runs or sales of oil; 1 — BH _____ M cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Gulf Oil Exploration and Production Company

L. G. Rader
PRODUCTION MANAGER - CASPER AREA

July 2, 1985

P. O. Box 2619
Casper, WY 82602

State of Utah
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

JUL 05 1985

Gentlemen:


DIVISION OF OIL, GAS & MINING

Effective July 1, 1985, the corporate name of Gulf Oil Corporation was changed to Chevron U.S.A. Inc. This will be applicable to all operations, agreements, contracts, documents, and permits of Gulf Oil Corporation in the area of and/or under your jurisdiction.

The attached information is being furnished to facilitate the name change of appropriate records under your authority, and submitted as our understanding of the procedure required to accomplish the change.

Please advise this office or the office listed on the attachments should additional information be needed.

Sincerely,



L. G. Rader

KWR/mdb

Attachments



A DIVISION OF GULF OIL CORPORATION

TELEPHONE: (307) 235-1311

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil ☐ Gas
☐ Well ☐ Well ☒ Other

2. Name of Operator
Chevron U.S.A. Inc.

3. Address and Telephone No.
P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' NSL, 1980' EWL, SEC. 16, T8S, R21E

RECEIVED

SEP 01 1993

DIVISION OF
OIL, GAS & MINING

5. Lease Designation and Serial No.
State ML-2237

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Wonsits Valley Fed. Unit

8. Well Name and No.
WVFU #78

9. API Well No.
43-047-20115

10. Field and Pool, or Exploratory Area
Wonsits Valley-Grn. River

11. County or Parish, State
Uintah, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other Acid Fracture	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

We propose to complete the following work on the subject well:

1. Shut-in well and isolate from injection system.
2. Tie Halliburton into injection tree and test lines to at least 3000 PSI.
3. Acid fracture well with approximately 7,400 gals. of 28% HCL.
4. Flow back load volume plus 50 BBL.
5. Reconnect well to injection system and return to injection.

ACCEPTED BY THE STATE

CLERK OF DISTRICT COURT

CLERK OF DISTRICT COURT

DATE 9-2-93
BY J. M. Matthews

14. I hereby certify that the foregoing is true and correct.

Signed

Title

Date

08/19/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

<u>Lease Name</u>	<u>Field</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>County</u>	<u>State</u>
Wonsits Valley Unit #54	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #55	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #56	Wonsits WV	1	8S	21E	Uintah	UT
Wonsits Valley Unit #57	Wonsits WV	2	8S	21E	Uintah	UT
Wonsits Valley Unit #58	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #59	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #6	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #60	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #61	Wonsits WV	18	8S	21E	Uintah	UT
Wonsits Valley Unit #62	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #63	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #65	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #66	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #67	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #68	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #69	Wonsits WV	18	8S	22E	Uintah	UT
Wonsits Valley Unit #70	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #71	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #72	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #73	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #74	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #75	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #78	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #8	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #80	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #81	Wonsits WV	24	8S	21E	Uintah	UT
Wonsits Valley Unit #82	Wonsits WV	24	8S	21E	Uintah	UT
Wonsits Valley Unit #83	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #84-2	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #85	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #86	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #87	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #88-2	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #89	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #9	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #92	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #93	Wonsits WV	11	8S	21E	Uintah	UT
Wonsits Valley Unit #94	Wonsits WV	11	8S	21E	Uintah	UT

06/27/85

leases gulf operated/file2

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil ☐ Gas
☐ Well ☐ Well ☒ Other

2. Name of Operator
Chevron U.S.A. Inc.

3. Address and Telephone No.
P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' NSL, 1980' EWL, SEC. 16, T8S, R21E

RECEIVED

SEP 17 1993

DIVISION OF
OIL, GAS & MINING

5. Lease Designation and Serial No.
ML-2237

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Wonsits Valley Fed. Unit

8. Well Name and No.
WVFU #78

9. API Well No.
43-047-20115

10. Field and Pool, or Exploratory Area
Wonsits Valley-Grn. River

11. County or Parish, State
Uintah, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Acid Fracture

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The following work was completed on 08/27/93:

1. Flow back 150 BBL. water.
2. RU Halliburton; pumped 4000 Gal. 28% HCL; SI for 30 min. Pumped 2000 gal. 28% HCL. Flush to perfs with produced water.
3. Flow back load volume plus 24 BBL. water.
4. Return well to injection.

14. I hereby certify that the foregoing is true and correct.

Signed

Title

Date

09/15/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☐

Well

☐

Well

☒

Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

P. O. BOX 455, VERNAL, UT 84078 (801) 781-4302

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' NSL, 1980' EWL, SEC. 16, T8S/R21E

5. Lease Designation and Serial No.

ML-2237

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Wonsits Valley Fed. Unit

8. Well Name and No.

WVFU #78

9. API Well No.

20115

43-047-16462

10. Field and Pool, or Exploratory Area

Wonsits Valley-Grn. River

11. County or Parish, State

Uintah, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other UIC REPAIRS

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

The following work was completed between 01/31/94 and 02/01/94:

1. Perforated tubing at 5136-5138'.
2. Released packer at 5139'. Tally out of hole with 167 joints 2 7/8"; tubing looks good.
3. RIH with redressed Lok-set packer, hydrotested tubing in hole to 5000 PSI. Found one bad collar.
4. Set packer at 5137'. Tested casing to 300 PSI for 15 min.; tested good.
5. Displaced hole with corrosion inhibitor (WA-5810).
6. Pressure tested casing to 340# for 50 min.; tested good.
7. RDMO.

FEB 16 1994

14. I hereby certify that the foregoing is true and correct.
Signed

John R. Hough

Title Operations Assistant

Date 02/14/94

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Mechanical Integrity Test Casing or Annulus Pressure Test

U.S. Environmental Protection Agency
Underground Injection Control Program, UIC Implementation Section, 8WM-DW
999 18th Street, Suite 500, Denver, CO 80202-2466

EPA Witness: N/A Date 8/1/95 Time 2:00 am/pm pm
Test conducted by: Gudac Bros Inc.
Others present: Ed Gudac, Mike Gudac


Well: WVFU # 78 43-041-20115 Field: Wonsirs valley Well Location: NE/SW Sec. 16 - T9S - R21E	Well ID: UTO2504 Company: Chevron USA INC Address: 11002 East 17500 South Vernal, UT 84078
--	---

Time	Test #1	Test #2	Test #3
0 min	<u>1020</u> psig	<u> </u> psig	<u> </u> psig
5	<u>1020</u>	<u> </u>	<u> </u>
10	<u>1020</u>	<u> </u>	<u> </u>
15	<u>1025</u>	<u> </u>	<u> </u>
20	<u>1025</u>	<u> </u>	<u> </u>
25	<u>1025</u>	<u> </u>	<u> </u>
30 min	<u>1025</u>	<u> </u>	<u> </u>
35	<u> </u>	<u> </u>	<u> </u>
40	<u> </u>	<u> </u>	<u> </u>
45	<u> </u>	<u> </u>	<u> </u>
50	<u> </u>	<u> </u>	<u> </u>
55	<u> </u>	<u> </u>	<u> </u>
60 min	<u> </u>	<u> </u>	<u> </u>
Tubing press	<u>0</u> psig	<u> </u> psig	<u> </u> psig

Result (circle) Pass Ed Gudac 8-1-95 Pass Fail Pass Fail

Signature of EPA Witness: Raymond C. B.L.M. 8/1/95
S.W. Keiser, Chevron USA INC 8-1-95

See back of page for any additional comments & compliance followup.



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil <input type="checkbox"/> Gas <input type="checkbox"/> Well <input type="checkbox"/> Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> INJECTION WELL	7. If Unit or CA, Agreement Designation Wonsits Valley Federal Unit
2. Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY	8. Well Name and No. Wonsits Valley Federal Unit 78
3. Address and Telephone No. 11002 E. 17500 S. VERNAL, UT 84078-8526	9. API Well No. 43-047-20115
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1980' FSL & 1980' FWL (C NE SW) SECTION 16, T8S, R21E, SLBM	10. Field and Pool, or Exploratory Area Wonsits Valley - Green River
	11. County or Parish, State UINTAH, UTAH

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input checked="" type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>REPLACE TBG/PACKER</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

DATE OF WORK: 7/20/95 THRU 8/1/95

INSTALLED CASING SEAL PATCH @ 471'.

RAN 2 7/8" PLASTIC LINED TUBING & BAKER LOK-SET PACKER.

PACKER SET @ 5177'

CONDUCTED UIC TEST TO 1020 PSI FOR 30 MINUTES. HELD. (Ray Arnold/BLM witnessed test).

AUG 21 1995

14. I hereby certify that the foregoing is true and correct.
Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date August 16, 1995

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil Gas <input type="checkbox"/> Well <input type="checkbox"/> Well <input checked="" type="checkbox"/> Other INJECTION WELL	5. Lease Designation and Serial No. UT-02504
2. Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY	6. If Indian, Allottee or Tribe Name
3. Address and Telephone No. 11002 E. 17500 S. VERNAL, UT 84078-8526	7. If Unit or CA, Agreement Designation Wonsits Valley Federal Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1980' FSL & 1980' FWL (C NE SW) SECTION 16, T8S, R21E, SLBM	8. Well Name and No. Wonsits Valley Federal Unit 78
	9. API Well No. 43-047-20115
	10. Field and Pool, or Exploratory Area Wonsits Valley - Green River
	11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input checked="" type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>REPLACE TBG/PACKER</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water
	(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

DATE OF WORK: 7/20/95 THRU 8/1/95

INSTALLED CASING SEAL PATCH @ 471'.

RAN 2 7/8" PLASTIC LINED TUBING & BAKER LOK-SET PACKER.

PACKER SET @ 5177'

CONDUCTED UIC TEST TO 1020 PSI FOR 30 MINUTES. HELD. (Ray Arnold/BLM witnessed test).

AUG 21 1995

14. I hereby certify that the foregoing is true and correct.
Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date August 16, 1995


(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

Lease Designation and Serial No.
VARIOUS

If Indian, Allottee or Tribe Name

If Unit or CA, Agreement Designation

Well Name and No.

SEE BELOW

API Well No. 43-047-20115

SEE BELOW

Field and Pool, or Exploratory Area

County or Parish, State

UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☐ Well ☐ Well ☒ Other OTHER

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

11002 E. 17500 S., VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE BELOW

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other INSTALL ANODE BEDS

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

We request approval to install casing cathodic protection anode beds as follows:

1. Drill 8" diameter holes 250' deep. Each hole will be loaded with 8 - 2.2" x 7' anodes.
2. Dig a 6" x 12" ditch to connect the anodes to a power source.

This sundry notice supersedes a similar anode bed sundry notice dated March 3, 1994 that was not acted upon. Since well statuses have changed recently we felt it necessary to resubmit a new sundry.

See attached for proposed anode bed locations.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct.
Signed W.B. Alexander

Title Corrosion Representative

Date 12/04/95

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Proposed Anode Bed Locations

WV #32	ML-2237	43-047-16513	666' FNL, 1997' FWL, SEC. 16, T8S/R21E
WV #34	U-0806	43-047-15462	2092' FNL, 682' FWL, SEC. 11, T8S/R21E
WV #40-2	U-0806	43-047-31798	1926' FSL, 661' FEL, SEC. 10, T8S/R21E
WV #50	U-0807	43-047-15477	1986' FNL, 1990' FEL, SEC. 15, T8S/R21E
WV #59	U-0807	43-047-20018	1986' FNL, 660' FWL, SEC. 14, T8S/R21E
WV #72	U-2237A	43-047-20058	660' FSL, 660' FWL, SEC. 16, T8S/R21E
WV #78	ML-2237	43-047-20165	1980' FSL, 1980' FWL, SEC. 16, T8S/R21E
WV #103	U-0807	43-047-30021	712' FNL, 664' FWL, SEC. 14, T8S/R21E
WV #110	U-0807	43-047-30046	1990' FNL, 1992' FWL, SEC. 14, T8S/R21E
WV #119	U-0804	43-047-32461	665' FNL, 661' FWL, SEC. 21, T8S/R21E
WV #120	U-0804	43-047-32462	561' FNL, 1906' FWL, SEC. 22, T8S/R21E
WV #137	U-0806	43-047-31523	1995' FNL, 1987' FWL, SEC. 11, T8S/R21E
WV #143	U-0806	43-047-31808	1858' FSL, 2050' FEL, SEC. 10, T8S/R21E
COSTAS 5	U-0804	43-047-31827	1874' FNL, 1255' FEL, SEC. 21, T8S/R21E
WV #133	U-0807	43-047-31706	616' FSL, 1892' FWL, SEC. 15, T8S/R21E
GH #3	U-0140740	43-047-20002	660' FNL, 660' FEL, SEC. 20, T8S/R21E
GH #6	U-0140740	43-047-30099	643' FNL, 1983' FWL, SEC. 20, T8S/R21E
GH #8	U-0140740	43-047-31932	1906' FNL, 1978' FEL, SEC. 20, T8S/R21E
GH #11	U-0140740	43-047-32459	2042' FEL, 2089' FSL, SEC. 20, T8S/R21E
GH #12	U-0140740	43-047-32458	2009' FSL, 666' FEL, SEC. 19, T8S/R21E
GH #13	U-0140740	43-047-32460	2009' FSL, 1837' FWL, SEC. 21, T8S/R21E
SC 23-21	U-025960	43-047-31541	1980' FSL, 660' FWL, SEC. 21, T8S/R21E

(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil <input type="checkbox"/> Gas <input type="checkbox"/> <input type="checkbox"/> Well <input type="checkbox"/> Well <input checked="" type="checkbox"/> Other <input type="checkbox"/> MULTIPLE WELLS SEE ATTACHED LIST	5. Lease Designation and Serial No. 6. If Indian, Allottee or Tribe Name N/A 7. If Unit or CA, Agreement Designation Wonsits Valley Federal Unit 14-08-001-8482
2. Name of Operator CHEVRON U.S.A. INC.	8. Well Name and No.
3. Address and Telephone No. 11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300	9. API Well No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	10. Field and Pool, or Exploratory Area Wonsits Valley - Green River
	11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Wonsits Valley Unit.
The Unit number is 14-08-001-8482 effective November 23, 1962.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

1. GLH	4-KAS ✓
2. CDW	5- 5 ✓
3. JLT	6-FILE

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

01/01/2000

TO: (New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

Unit: WONSITS VALLEY

WELL(S)[illegible]

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/15/2000

4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 08/21/2000

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 08/18/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/18/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: _____

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3,5,01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Wonsits Valley Unit (w/enclosure).
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

SHENANDOAH ENERGY INC.

11002 E. 17500 S.
VERNAL, UT 84078
PHONE: (435) 781-4300
FAX: (435) 781-4329

RW #48 (32-19B)	SWNE-19-7S-23E	43-047-15174
RW #60 (43-30B)	NESE-30-7S-23E	43-047-15184
RW #213 (41-33B)	NENE-33-7S-23E	43-047-20060

WONSITS VALLEY FEDERAL UNIT

WVUFU #120	NENW-22-8S-21E	43-047-32462
WVUFU #140	NWNW-15-8S-21E	43-047-31707
WVUFU #143	NWSE-10-8S-21E	43-047-31808
WVUFU #16	NENE-15-8S-21E	43-047-15447
WVUFU #21	NENE-16-8S-21E	43-047-15452
WVUFU #28-2	NESW-11-8S-21E	43-047-31524
WVUFU #31	NENW-14-8S-21E	43-047-15460
WVUFU #35	NESW-14-8S-21E	43-047-15463
WVUFU #36	NESW-10-8S-21E	43-047-15464
WVUFU #40-2	NESE-10-8S-21E	43-047-31798
WVUFU #41	NENW-15-8S-21E	43-047-15496
WVUFU #50	SWNE-15-8S-21E	43-047-15477
WVUFU #59	SWNW-14-8S-21E	43-047-20018
WVUFU #60	SWSE-15-8S-21E	43-047-20019
WVUFU #67	NESW-15-8S-21E	43-047-20043
WVUFU #68	NESE-15-8S-21E	43-047-20047
WVUFU #71-2	SWSW-15-8S-21E	43-047-32449
WVUFU #73	NESE-16-8S-21E	43-047-20066
WVUFU #97	NWSW-11-8S-21E	43-047-30014
WVUFU #9	NESE-12-8S-21E	43-047-15440
WVUFU #126	NWNE-21-8S-21E	43-047-30796
WVUFU #72	SWSW-16-8S-21E	43-047-20058
WVUFU #78	NESW-16-8S-21E	43-047-20115

GYPSUM HILLS UNIT

GHU #10	NWSE-21-8S-20E	43-047-32306
GHU #12	NESE-19-8S-21E	43-047-32458
GHU #15	SWSW-20-8S-21E	43-047-32648
GHU #17	SWSE-20-8S-21E	43-047-32649
GHU #3	NENE-20-8S-21E	43-047-20002
GHU #6	NENW-20-8S-21E	43-047-30099
GHU #8-1	SWNE-20-8S-21E	43-047-31932

COSTAS FEDERAL

COSTAS FED #1-20-4B	NESW-20-8S-21E	43-047-31006
COSTAS FED #2-20-3B	NESE-20-8S-21E	
COSTAS FED 33-21-1D	SWNW-21-8S-21E	43-047-31604

BRENNAN BOTTOM UNIT

BRENNAN FED #5	SENW-18-7S-21E	43-047-15420
BRENNAN FED #11	SESW-18-7S-21E	43-047-32772

MECHANICAL INTEGRITY TEST
CASING OR ANNULUS PRESSURE TEST

U.S. ENVIRONMENTAL PROTECTION AGENCY
UNDERGROUND INJECTION CONTROL PROGRAM, UIC IMPLEMENTATION SECTION (8ENF-T)
999 18TH STREET, SUITE 500, DENVER, CO. 80202-2466

EPA WITNESS: _____

DATE: 7/21/2000

TIME: 10:00 AM/PM

TEST CONDUCTED BY: MIKE JOHNSON

OTHERS PRESENT: NA

WELL:	<u>WVFU#78</u>	WELL ID:	<u>API# 43-047-20115 EPA# UT02504</u>
FIELD:	<u>WONSITS VALLEY</u>	COMPANY:	<u>SHENANDOAH ENERGY INC.</u>
WELL LOCATION	<u>NESW SEC 16 T8S R21E</u>	ADDRESS:	<u>11002 EAST 17500 SOUTH VERNAL, UTAH 84078</u>
WELL STATUS:	<u>ACTIVE</u>		

		TEST #1			TEST #2			TEST #3
TIME		CASING PRESSURE	TIME		CASING PRESSURE	TIME		CASING PRESSURE
<u>10:00A</u>	0 MIN	<u>1120</u>						
<u>10:05A</u>	5	<u>1120</u>						
<u>10:10</u>	10	<u>1120</u>						
<u>10:15</u>	15	<u>1120</u>						
<u>10:20</u>	20	<u>1110</u>						
<u>10:25</u>	25	<u>1110</u>						
<u>10:30</u>	30 MIN	<u>1110</u>						
	35							
	40							
	45							
	50							
	55							
	60 MIN							

START TUBING PRESSURE, PSIG

1800 PSI

END TUBING PRESSURE, PSIG


1800 PSI

RESULTS (CIRCLE) PASS FAIL

SIGNATURE OF EPA WITNESS:

Mike Johnson

TUBING PRESSURE STAYED STEADY AT 1800 PSI THE WHOLE
M.I.T. TEST.



DATE: 7/2/60 TIME: 10:00 A
WELL ID: C.V.F.L. # 78
PERSON CONDUCTING TEST: M. Johnson

MECHANICAL INTEGRITY TEST
CASING OR ANNULUS PRESSURE TEST

U.S. ENVIRONMENTAL PROTECTION AGENCY
UNDERGROUND INJECTION CONTROL PROGRAM, UIC IMPLEMENTATION SECTION (8ENF-T)
999 18TH STREET, SUITE 500, DENVER, CO. 80202-2466

EPA WITNESS: _____

DATE: 7/21/2020

TIME: 10:00 AM

TEST CONDUCTED BY: MIKE JOHNSON

OTHERS PRESENT: NA

WELL:	<u>WVFU#78</u>	WELL ID:	<u>API# 43-047-20115 EPA# UT02504</u>
FIELD:	<u>WONSITS VALLEY</u>	COMPANY:	<u>SHENANDOAH ENERGY INC.</u>
WELL LOCATION	<u>NESW SEC 16 T8S R21E</u>	ADDRESS:	<u>11002 EAST 17500 SOUTH</u> <u>VERNAL, UTAH 84078</u>
WELL STATUS:	<u>ACTIVE</u>		

		TEST #1			TEST #2			TEST #3
TIME		CASING PRESSURE	TIME		CASING PRESSURE	TIME		CASING PRESSURE
<u>10:00A</u>	0 MIN	<u>1120</u>						
<u>10:05A</u>	5	<u>1120</u>						
<u>10:10</u>	10	<u>1120</u>						
<u>10:15</u>	15	<u>1120</u>						
<u>10:20</u>	20	<u>1110</u>						
<u>10:25</u>	25	<u>1110</u>						
<u>10:30</u>	30 MIN	<u>1110</u>						
	35							
	40							
	45							
	50							
	55							
	60 MIN							

START TUBING PRESSURE, PSIG

1800 PSI

END TUBING PRESSURE, PSIG


1800 PSI

RESULTS (CIRCLE) PASS FAIL

SIGNATURE OF EPA WITNESS:

Mike Johnson

TUBING PRESSURE STAYED STEADY AT 1800 PSI THE WHOLE
M.I.T. TEST.



SHENANDOAH ENERGY INC.

11002 East 17500 South
Vernal, Utah 80478
(435) 781-4300
Fax (435) 781-4329

July 31, 2000

MECHANICAL INTEGRITY TESTS
WVFU #78
Wonsits Valley Federal Unit
Uintah County, Utah

LEF
2 file

RECEIVED

AUG 04 2000

DIVISION OF
OIL, GAS AND MINING

Mr. Al Craver
Underground Injection Control Program
United States Environmental Protection Agency
Region VIII
999 18th Street - Suite 500
Denver, Colorado 80202-2466

Dear Mr. Craver,

Results of a recent mechanical integrity test for the caption well are enclosed. The welltested is:

<u>Wellname</u>	<u>EPA ID</u>
WVFU # 78	UT02504

Please advise as to the next MIT due dates for this well. If you have any questions regarding the tests, please contact me at (435) 781-4301.

Sincerely,



J. T. Conley
District Manager

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY**

cc Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801
Attn. Mr. Gil Hunt

U.S Department of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: See Attachment

Field or Unit name: _____ API no. _____

Well location: QQ _____ section _____ township _____ range _____ county _____

Effective Date of Transfer: _____

CURRENT OPERATOR

Transfer approved by:

Name R.K. Wackowski Company Chevron Production Co.

Signature [Signature] Address 100 Chevron Rd.

Title Unit Manager Rangely, Colo. 81648

Date 7/28/00 Phone (970) 675-3714

Comments:

NEW OPERATOR

Transfer approved by:

Name John Conley Company Shenandoah Energy Inc.

Signature [Signature] Address 11002 E. 17500 S.

Title District Manager Vernal, UT 84078

Date 7-21-00 Phone (435) 781-4300

Comments:

(State use only)

Transfer approved by _____ Title _____

Approval Date _____

RECEIVED

1. GLH
2. CDW
3. FILE

Designation of Agent/Operator

Merger

2/1/2003

FROM: (Old Operator): N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	TO: (New Operator): N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341
---	--

Unit:

WONSITS VALLEY UNIT

WELL(S)

[illegible]

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
5. If **NO**, the operator was contacted on:

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/10/2003

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 9/16/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The FORMER operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:



May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07/07/03:440-1536/ QEP Uinta Basin
MFO

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number <u>See Attached List</u>		API Number
Location of Well		Field or Unit Name <u>Wonsits Valley</u>
Footage :	County : <u>Wintah</u>	Lease Designation and Number
QQ, Section, Township, Range:	State : <u>UTAH</u>	

EFFECTIVE DATE OF TRANSFER: _____

CURRENT OPERATOR

Company: Shenandoah Energy Inc.
Address: 11002 East 17500 South
city Vernal state UT zip 84078
Phone: (435) 781-4300
Comments:

Name: John Busch
Signature: John Busch
Title: District Foreman
Date: 9-02-03

NEW OPERATOR

Company: QEP Uinta Basin, Inc.
Address: 11002 East 17500 South
city Vernal state UT zip 84078
Phone: _____
Comments:

Name: John Busch
Signature: John Busch
Title: District Foreman
Date: 9-02-03

(This space for State use only)

Transfer approved by: [Signature]
Title: Paul Sanders Manager

Approval Date: 9-10-03

Comments: Cause # 105-02

Located in Indian Country, EPA primary
WCL agency.

RECEIVED

SEP 04 2003

DIV. OF OIL, GAS & MINING

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	Field	Footages
WVFU 120	22	080S	210E	4304732462	5265	Federal	WI	A	Wonsits Valley	561 FNL, 1906 FWL
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A	Wonsits Valley	761 FNL, 2077 FEL
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A	Wonsits Valley	612 FNL, 759 FWL
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A	Wonsits Valley	1858 FSL, 2050 FEL
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A	Wonsits Valley	660 FNL, 660 FEL
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	Wonsits Valley	1916 FSL, 2065 FWL
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A	Wonsits Valley	587 FNL, 1992 FWL
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A	Wonsits Valley	1928 FSL, 2060 FWL
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A	Wonsits Valley	1980 FSL, 1980 FWL
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	Wonsits Valley	1926 FSL, 661 FEL
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A	Wonsits Valley	560 FNL, 1989 FWL
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A	Wonsits Valley	1986 FNL, 1990 FEL
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A	Wonsits Valley	1986 FNL, 660 FWL
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A	Wonsits Valley	660 FSL, 1996 FEL
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A	Wonsits Valley	1980 FSL, 1980 FWL
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A	Wonsits Valley	1930 FSL, 660 FEL
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	Wonsits Valley	666 FSL, 724 FWL
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A	Wonsits Valley	1996 FSL, 664 FWL
WVU 21	16	080S	210E	4304715452	99990	State	WI	A	Wonsits Valley	660 FNL, 665 FEL
WVU 72	16	080S	210E	4304720058	99990	State	WI	A	Wonsits Valley	660 FSL, 660 FWL
WVU 73	16	080S	210E	4304720066	5265	State	WI	A	Wonsits Valley	1980 FSL, 660 FEL
WVU 78	16	080S	210E	4304720115	99990	State	WI	A	Wonsits Valley	1980 FSL, 1980 FWL

**MECHANICAL INTEGRITY TEST
CASING OR ANNULUS PRESSURE TEST**

U.S. ENVIRONMENTAL PROTECTION AGENCY
UNDERGROUND INJECTION CONTROL PROGRAM, UIC IMPLEMENTATION SECTION (8P-W-GW)
999 18TH STREET, SUITE 300, DENVER, CO. 80202-2466

EPA WITNESS: NONE

DATE: 7/20/2005

TIME: 9:00 ☒ AM ☐ PM

TEST CONDUCTED BY: Dennis J. Paulson (Questar)

OTHERS PRESENT: Ron Williams (Advantage Oilfield Services)

API NUMBER: 43-047-20115

EPA ID NUMBER: UT2000-02504

WELL NAME: wonsits valley #78 TYPE: ☒ ER ☐ SWD STATUS: ☒ AC ☐ TA ☐ UC
FIELD: WONSITS VALLEY
WELL LOCATION: NESW SEC. 16-T8S-R21E ☐ N ☐ S ☐ E ☐ W COUNTY: UINTAH STATE: UTAH
OPERATOR: QEP UINTA BASIN INC.
LAST MIT: 21-Jul-00 MAXIMUM ALLOWABLE PRESSURE: 2052 PSIG

IS THIS A REGULAR SCHEDULED TEST? ☒ YES ☐ NO

INITIAL TEST FOR PERMIT? ☐ YES ☒ NO

TEST AFTER WELL WORK? ☐ YES ☒ NO

WELL INJECTING DURING TEST? ☐ YES ☒ NO IF YES, RATE: _____ BPD

PRE-TEST CASING/TUBING ANNULUS PRESSURE: _____ 0 :PSIG

**MIT DATA TABLE
TUBING**

	TEST #1	TEST #2	TEST #3
	PRESSURE		
INITIAL PRESSURE	695.2 PSIG	PSIG	PSIG
END OF TEST PRESSURE	691.7 PSIG	PSIG	PSIG

CASING/TUBING	ANNULUS	TUBING
0 MINUTES	1255.6 @9:10:00 PSIG	698.4 PSIG PSIG
5 MINUTES	1248.7 @9:16:00 PSIG	697.8 PSIG PSIG
10 MINUTES	1247 @9:20:12 PSIG	695.2 PSIG PSIG
15 MINUTES	1245.5 @9:25:00 PSIG	694.6 PSIG PSIG
20 MINUTES	1244.3 @9:29:57 PSIG	693.7 PSIG PSIG
25 MINUTES	1243.1 @9:35:03 PSIG	692.7 PSIG PSIG
30 MINUTES	1242.1 @9:40:00 PSIG	691.7 PSIG PSIG
MINUTES	PSIG	PSIG PSIG
MINUTES	PSIG	PSIG PSIG
RESULT	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL <input type="checkbox"/> PASS <input type="checkbox"/> FAIL

DOES THE ANNULUS PRESSURE BUILD BACK UP AFTER THE TEST? ☐ YES ☒ NO

QUESTAR E P

WONSITS VALLEY
78 MIT

3000	PSIG	2404-1	10	FEB	5	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
20	JUL	2005	9:08:12	1	1	0		86
20	JUL	2005	9:08:21	1	2	0		86
20	JUL	2005	9:08:30	1	3	1007.5		86
20	JUL	2005	9:08:40	1	4	1007.7		86
20	JUL	2005	9:08:49	1	5	921.5		86
20	JUL	2005	9:08:57	1	6	847		86
20	JUL	2005	9:09:06	1	7	845.6		86
20	JUL	2005	9:09:15	1	8	864.1		86
20	JUL	2005	9:09:24	1	9	1046.5		86
20	JUL	2005	9:09:33	1	10	1199.2		86
20	JUL	2005	9:09:42	1	11	1252.3		86
20	JUL	2005	9:09:51	1	12	1250		86
20	JUL	2005	9:10:00	1	13	1255.6	698.4	86
20	JUL	2005	9:10:09	1	14	1254		86
20	JUL	2005	9:10:18	1	15	1251.8		86
20	JUL	2005	9:10:27	1	16	1252.1		86
20	JUL	2005	9:10:36	1	17	1253.2		86
20	JUL	2005	9:10:45	1	18	1252.2		86
20	JUL	2005	9:10:54	1	19	1252		86
20	JUL	2005	9:11:03	1	20	1252.2		86
20	JUL	2005	9:11:12	1	21	1252		86
20	JUL	2005	9:11:21	1	22	1251.7		86
20	JUL	2005	9:11:30	1	23	1251.6		86
20	JUL	2005	9:11:39	1	24	1251.5		86
20	JUL	2005	9:11:48	1	25	1251.4		86
20	JUL	2005	9:11:57	1	26	1251.2		86
20	JUL	2005	9:12:06	1	27	1251.1		86
20	JUL	2005	9:12:15	1	28	1251		86
20	JUL	2005	9:12:24	1	29	1250.9		86
20	JUL	2005	9:12:33	1	30	1250.8		86
20	JUL	2005	9:12:43	1	31	1250.7		86
20	JUL	2005	9:12:52	1	32	1250.6		86
20	JUL	2005	9:13:00	1	33	1250.5		86
20	JUL	2005	9:13:09	1	34	1250.4		86
20	JUL	2005	9:13:18	1	35	1250.3		86
20	JUL	2005	9:13:27	1	36	1250.1		88
20	JUL	2005	9:13:36	1	37	1250		88
20	JUL	2005	9:13:45	1	38	1249.9		88
20	JUL	2005	9:13:54	1	39	1249.8		88
20	JUL	2005	9:14:03	1	40	1249.7		88
20	JUL	2005	9:14:12	1	41	1249.6		88
20	JUL	2005	9:14:21	1	42	1249.5		88
20	JUL	2005	9:14:30	1	43	1249.4		88
20	JUL	2005	9:14:39	1	44	1249.3		88
20	JUL	2005	9:14:48	1	45	1249.3		88
20	JUL	2005	9:14:57	1	46	1249.2		88
20	JUL	2005	9:15:06	1	47	1249.1		88
20	JUL	2005	9:15:15	1	48	1249.1		88
20	JUL	2005	9:15:24	1	49	1249		88
20	JUL	2005	9:15:33	1	50	1248.9		88
20	JUL	2005	9:15:42	1	51	1248.8		88
20	JUL	2005	9:15:51	1	52	1248.8		88

QUESTAR E P

WONSITS VALLEY
78 MIT

3000	PSIG	2404-1	10	FEB	5	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
20	JUL	2005	9:16:00	1	53	1248.7	697.8	88
20	JUL	2005	9:16:09	1	54	1248.6		88
20	JUL	2005	9:16:18	1	55	1248.6		88
20	JUL	2005	9:16:27	1	56	1248.5		88
20	JUL	2005	9:16:36	1	57	1248.4		88
20	JUL	2005	9:16:46	1	58	1248.4		88
20	JUL	2005	9:16:55	1	59	1248.3		88
20	JUL	2005	9:17:03	1	60	1248.3		88
20	JUL	2005	9:17:12	1	61	1248.2		88
20	JUL	2005	9:17:21	1	62	1248.1		88
20	JUL	2005	9:17:30	1	63	1248		88
20	JUL	2005	9:17:39	1	64	1248		88
20	JUL	2005	9:17:48	1	65	1247.9		88
20	JUL	2005	9:17:57	1	66	1247.9		88
20	JUL	2005	9:18:06	1	67	1247.8		88
20	JUL	2005	9:18:15	1	68	1247.7		88
20	JUL	2005	9:18:24	1	69	1247.7		88
20	JUL	2005	9:18:33	1	70	1247.6		88
20	JUL	2005	9:18:42	1	71	1247.6		88
20	JUL	2005	9:18:51	1	72	1247.5		88
20	JUL	2005	9:19:00	1	73	1247.4		88
20	JUL	2005	9:19:09	1	74	1247.4		88
20	JUL	2005	9:19:18	1	75	1247.4		88
20	JUL	2005	9:19:27	1	76	1247.3		88
20	JUL	2005	9:19:36	1	77	1247.2		88
20	JUL	2005	9:19:45	1	78	1247.2		88
20	JUL	2005	9:19:54	1	79	1247.1		88
20	JUL	2005	9:20:03	1	80	1247.1		88
20	JUL	2005	9:20:12	1	81	1247	695.2	88
20	JUL	2005	9:20:21	1	82	1247		88
20	JUL	2005	9:20:30	1	83	1246.9		88
20	JUL	2005	9:20:40	1	84	1246.9		88
20	JUL	2005	9:20:49	1	85	1246.8		88
20	JUL	2005	9:20:57	1	86	1246.8		88
20	JUL	2005	9:21:06	1	87	1246.7		88
20	JUL	2005	9:21:15	1	88	1246.7		88
20	JUL	2005	9:21:24	1	89	1246.6		88
20	JUL	2005	9:21:33	1	90	1246.6		88
20	JUL	2005	9:21:42	1	91	1246.5		88
20	JUL	2005	9:21:51	1	92	1246.5		88
20	JUL	2005	9:22:00	1	93	1246.4		88
20	JUL	2005	9:22:09	1	94	1246.4		88
20	JUL	2005	9:22:18	1	95	1246.3		88
20	JUL	2005	9:22:27	1	96	1246.3		88
20	JUL	2005	9:22:36	1	97	1246.3		88
20	JUL	2005	9:22:45	1	98	1246.2		88
20	JUL	2005	9:22:54	1	99	1246.2		88
20	JUL	2005	9:23:03	1	100	1246.1		88
20	JUL	2005	9:23:12	1	101	1246.1		88
20	JUL	2005	9:23:21	1	102	1246		88
20	JUL	2005	9:23:30	1	103	1245.9		90
20	JUL	2005	9:23:39	1	104	1245.8		90

QUESTAR E P

WONSITS VALLEY
78 MIT

3000	PSIG	2404-1	10	FEB	5	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
20	JUL	2005	9:23:48		1	105	1245.8	90
20	JUL	2005	9:23:57		1	106	1245.7	90
20	JUL	2005	9:24:06		1	107	1245.7	90
20	JUL	2005	9:24:15		1	108	1245.6	90
20	JUL	2005	9:24:24		1	109	1245.6	90
20	JUL	2005	9:24:33		1	110	1245.6	90
20	JUL	2005	9:24:43		1	111	1245.5	90
20	JUL	2005	9:24:52		1	112	1245.5	90
20	JUL	2005	9:25:00		1	113	1245.5	694.6
20	JUL	2005	9:25:09		1	114	1245.4	90
20	JUL	2005	9:25:18		1	115	1245.4	90
20	JUL	2005	9:25:27		1	116	1245.3	90
20	JUL	2005	9:25:36		1	117	1245.3	90
20	JUL	2005	9:25:45		1	118	1245.2	90
20	JUL	2005	9:25:54		1	119	1245.2	90
20	JUL	2005	9:26:03		1	120	1245.2	90
20	JUL	2005	9:26:12		1	121	1245.1	90
20	JUL	2005	9:26:21		1	122	1245.1	90
20	JUL	2005	9:26:30		1	123	1245	90
20	JUL	2005	9:26:39		1	124	1245	90
20	JUL	2005	9:26:48		1	125	1245	90
20	JUL	2005	9:26:57		1	126	1244.9	90
20	JUL	2005	9:27:06		1	127	1244.9	90
20	JUL	2005	9:27:15		1	128	1244.9	90
20	JUL	2005	9:27:24		1	129	1244.8	90
20	JUL	2005	9:27:33		1	130	1244.8	90
20	JUL	2005	9:27:42		1	131	1244.8	90
20	JUL	2005	9:27:51		1	132	1244.7	90
20	JUL	2005	9:28:00		1	133	1244.7	90
20	JUL	2005	9:28:09		1	134	1244.6	90
20	JUL	2005	9:28:18		1	135	1244.6	90
20	JUL	2005	9:28:27		1	136	1244.6	90
20	JUL	2005	9:28:36		1	137	1244.5	90
20	JUL	2005	9:28:46		1	138	1244.5	90
20	JUL	2005	9:28:55		1	139	1244.5	90
20	JUL	2005	9:29:03		1	140	1244.4	90
20	JUL	2005	9:29:12		1	141	1244.4	90
20	JUL	2005	9:29:21		1	142	1244.4	90
20	JUL	2005	9:29:30		1	143	1244.3	90
20	JUL	2005	9:29:39		1	144	1244.3	90
20	JUL	2005	9:29:48		1	145	1244.3	90
20	JUL	2005	9:29:57		1	146	1244.3	693.7
20	JUL	2005	9:30:06		1	147	1244.2	90
20	JUL	2005	9:30:15		1	148	1244.2	90
20	JUL	2005	9:30:24		1	149	1244.1	90
20	JUL	2005	9:30:33		1	150	1244.1	90
20	JUL	2005	9:30:42		1	151	1244.1	90
20	JUL	2005	9:30:51		1	152	1244	90
20	JUL	2005	9:31:00		1	153	1244	90
20	JUL	2005	9:31:09		1	154	1244	90
20	JUL	2005	9:31:18		1	155	1243.9	90
20	JUL	2005	9:31:27		1	156	1243.8	91

QUESTAR E P


WONSITS VALLEY
78 MIT

3000	PSIG	2404-1	10	FEB	5	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
20	JUL	2005	9:31:36	1	157	1243.8		91
20	JUL	2005	9:31:45	1	158	1243.8		91
20	JUL	2005	9:31:54	1	159	1243.7		91
20	JUL	2005	9:32:03	1	160	1243.7		91
20	JUL	2005	9:32:12	1	161	1243.7		91
20	JUL	2005	9:32:21	1	162	1243.6		91
20	JUL	2005	9:32:30	1	163	1243.6		91
20	JUL	2005	9:32:40	1	164	1243.6		91
20	JUL	2005	9:32:49	1	165	1243.5		91
20	JUL	2005	9:32:57	1	166	1243.5		91
20	JUL	2005	9:33:06	1	167	1243.5		91
20	JUL	2005	9:33:15	1	168	1243.5		91
20	JUL	2005	9:33:24	1	169	1243.5		91
20	JUL	2005	9:33:33	1	170	1243.4		91
20	JUL	2005	9:33:42	1	171	1243.4		91
20	JUL	2005	9:33:51	1	172	1243.3		91
20	JUL	2005	9:34:00	1	173	1243.3		91
20	JUL	2005	9:34:09	1	174	1243.3		91
20	JUL	2005	9:34:18	1	175	1243.3		91
20	JUL	2005	9:34:27	1	176	1243.2		91
20	JUL	2005	9:34:36	1	177	1243.2		91
20	JUL	2005	9:34:45	1	178	1243.2		91
20	JUL	2005	9:34:54	1	179	1243.2		91
20	JUL	2005	9:35:03	1	180	1243.1	692.7	91
20	JUL	2005	9:35:12	1	181	1243.1		91
20	JUL	2005	9:35:21	1	182	1243		91
20	JUL	2005	9:35:30	1	183	1243		91
20	JUL	2005	9:35:39	1	184	1243		91
20	JUL	2005	9:35:48	1	185	1243		91
20	JUL	2005	9:35:57	1	186	1242.9		91
20	JUL	2005	9:36:06	1	187	1242.9		91
20	JUL	2005	9:36:15	1	188	1242.9		91
20	JUL	2005	9:36:24	1	189	1242.9		91
20	JUL	2005	9:36:33	1	190	1242.8		91
20	JUL	2005	9:36:43	1	191	1242.8		91
20	JUL	2005	9:36:52	1	192	1242.8		91
20	JUL	2005	9:37:00	1	193	1242.8		91
20	JUL	2005	9:37:09	1	194	1242.7		91
20	JUL	2005	9:37:18	1	195	1242.7		91
20	JUL	2005	9:37:27	1	196	1242.7		91
20	JUL	2005	9:37:36	1	197	1242.6		91
20	JUL	2005	9:37:45	1	198	1242.6		91
20	JUL	2005	9:37:54	1	199	1242.6		91
20	JUL	2005	9:38:03	1	200	1242.5		91
20	JUL	2005	9:38:12	1	201	1242.5		91
20	JUL	2005	9:38:21	1	202	1242.5		91
20	JUL	2005	9:38:30	1	203	1242.3		93
20	JUL	2005	9:38:39	1	204	1242.3		93
20	JUL	2005	9:38:48	1	205	1242.3		93
20	JUL	2005	9:38:57	1	206	1242.3		93
20	JUL	2005	9:39:06	1	207	1242.3		93
20	JUL	2005	9:39:15	1	208	1242.2		93

QUESTAR E P

WONSITS VALLEY
78 MIT

3000	PSIG	2404-1	10	FEB	5	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
20	JUL	2005	9:39:24		1	209	1242.2	93
20	JUL	2005	9:39:33		1	210	1242.2	93
20	JUL	2005	9:39:42		1	211	1242.2	93
20	JUL	2005	9:39:51		1	212	1242.1	93
20	JUL	2005	9:40:00		1	213	1242.1	691.7
20	JUL	2005	9:40:09		1	214	1242.1	93
20	JUL	2005	9:40:18		1	215	1242	93
20	JUL	2005	9:40:27		1	216	1242	93
20	JUL	2005	9:40:36		1	217	1242	93
20	JUL	2005	9:40:46		1	218	1242	93
20	JUL	2005	9:40:55		1	219	1241.9	93
20	JUL	2005	9:41:03		1	220	1241.9	93
20	JUL	2005	9:41:12		1	221	1241.9	93
20	JUL	2005	9:41:21		1	222	1241.9	93
20	JUL	2005	9:41:30		1	223	1241.9	93
20	JUL	2005	9:41:39		1	224	1241.8	93
20	JUL	2005	9:41:48		1	225	1228.2	93
20	JUL	2005	9:41:57		1	226	1225.1	93
20	JUL	2005	9:42:06		1	227	0	93





RECEIVED
JUL 26 2005
DIV. OF OIL, GAS & MINING

Questar Exploration and Production Company

11002 East 17500 South

Vernal, UT 84078

Tel 435 781 4300 • Fax 435 781 4329

S. L. Tomkinson
Phone: 435-781-4308
Fax: 435-781-4329
Email: Stephanie.Tomkinson@questar.com

July 21, 2005

Via Certified Mail: 7003 2260 0007 1318 6923

Nathan Wiser-(8ENF-UFO)
UIC Program
U.S. EPA, Region VIII
999 18th Street, Suite 300
Denver, Colorado 80202-2466

RE: Mechanical Integrity Test (MIT)
for
WV 78
EPA # UT2000-02504
API #43-047-20115
Location: NESW Section 16 T8S R21E

Dear Mr. Wiser:

Enclosed for the subject well is the successful MIT result including the Casing or Annulus Pressure Test form and the pressure test chart. The MIT for this well is a regularly scheduled test.

If you have any questions or require additional information, I can be reached at 435-781-4308.

Sincerely,


Stephanie L. Tomkinson
Regulatory Affairs Technician

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

Enclosures: MIT Casing or Annulus Pressure Test Form
MIT Results Spreadsheet with Pressure Test Chart

cc: Utah Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801
Attn: Mr. Gil Hunt

U.S. Department of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078
Attn: Mr. Kirk Fleetwood

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

* * * * *

Operator: Gulf Well No. Wonsit Valley Unit #78
 County: Umatilla T 8S R 21E Sec. 16 API# 43-047-20115
 New Well ☐ Conversion ☐ Disposal Well ☐ Enhanced Recovery Well ☒

	YES	NO
UIC Forms Completed	<u>✓</u>	<u> </u>
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	<u> </u>
Schematic Diagram	<u>✓</u>	<u> </u>
Fracture Information	<u> </u>	<u>✓</u>
Pressure and Rate Control	<u>✓</u>	<u> </u>
Adequate Geologic Information	<u>✓</u>	<u> </u>
Fluid Source	<u>Greensburg</u>	

Analysis of Injection Fluid	Yes <u>✓</u>	No <u> </u>	TDS <u>22974</u> <u>AVG</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u>	No <u> </u>	TDS <u>27490</u> <u>AVG</u>

Known USDW in area Sanford Depth 1370

Number of wells in area of review 4 Prod. 2 P&A 0

Water 1 Inj. 1

Aquifer Exemption Yes NA ✓

Mechanical Integrity Test Yes ✓ No

Date 6-28-83 Type Brakley

Comments: TOC 4550

Reviewed by: 

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

CA No.				Unit:	WONSITS VALLEY UNIT			
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENE	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENE	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENE	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8-21	WV 1W-14-8-21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13-8-21	WV 5W-13-8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENE	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENE	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR:
1050 17th Street Suite 500 Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
see attached

7. UNIT or CA AGREEMENT NAME:
see attached

8. WELL NAME and NUMBER:
see attached

9. API NUMBER:
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE [Signature]

DATE 4/17/2007

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2) Waste Management Plan has been received on: Requested
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 CITY Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 672-6900	7. UNIT or CA AGREEMENT NAME: See attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: See attached
		9. API NUMBER: Attached
		10. FIELD AND POOL, OR WILDCAT: See attached
		COUNTY: Attached
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>Change</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: ~~965003033~~

Fee Land Bond Number: ~~965003033~~

BIA Bond Number: ~~799446~~

N3700

965010695

965010693

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <u>Morgan Anderson</u>	DATE <u>6/23/2010</u>

(This space for State use only)

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED 6/30/2009

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 16	15	080S	210E	4304715447	5265	Federal	WI	A	
WV 21	16	080S	210E	4304715452	5670	State	WI	A	
WV 31	14	080S	210E	4304715460	5265	Federal	WI	A	
WV 35	14	080S	210E	4304715463	5265	Federal	WI	A	
WV 36	10	080S	210E	4304715464	5265	Federal	WI	A	
WV 41	15	080S	210E	4304715469	5265	Federal	WI	A	
WV 50	15	080S	210E	4304715477	5265	Federal	WI	A	
WV 59	14	080S	210E	4304720018	5265	Federal	WI	A	
WV 60	15	080S	210E	4304720019	5265	Federal	WI	A	
WV 67	15	080S	210E	4304720043	5265	Federal	WI	A	
WV 68	15	080S	210E	4304720047	5265	Federal	WI	A	
WV 72	16	080S	210E	4304720058	5670	State	WI	A	
WV 73	16	080S	210E	4304720066	5265	State	WI	PA	
WV 78	16	080S	210E	4304720115	5670	State	WI	A	
WV 97	11	080S	210E	4304730014	5265	Federal	WI	A	
WV 126	21	080S	210E	4304730796	5265	Federal	WI	A	
WV 28-2	11	080S	210E	4304731524	5670	Federal	WI	A	
WV 140	15	080S	210E	4304731707	5265	Federal	WI	A	
WV 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	
WV 143	10	080S	210E	4304731808	5265	Federal	WI	A	
WV 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	
WV 120	22	080S	210E	4304732462	5265	Federal	WI	A	
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	WI	A	

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:

3100

(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

Roger L. Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See Attached List	API Number Attached
Location of Well Footage : Attached County : QQ, Section, Township, Range: State : UTAH	Field or Unit Name Attached Lease Designation and Number Attached

EFFECTIVE DATE OF TRANSFER: 6/14/2010


CURRENT OPERATOR

Company: Questar Exploration and Production Company
Address: 1050 17th Street, Suite 500
city Denver state CO zip 80265
Phone: (303) 672-6900
Comments:

Name: Ann Petrik
Signature: 
Title: Engineering Analyst
Date: 6/28/2010

NEW OPERATOR

Company: QEP Energy Company
Address: 1050 17th Street, Suite 500
city Denver state CO zip 80265
Phone: (303) 672-6900
Comments:

Name: Ann Petrik
Signature: 
Title: Engineering Analyst
Date: 6/28/2010

(This space for State use only)

Transfer approved by: _____

Approval Date: _____

Title: _____

Comments:

Accepted by the
Utah Division of
Oil, Gas and Mining

Date: 6/29/10
By: D. Jones

EPA approved well

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING